

Protect your wife and family

USE A CONDOM FOR SEX - ALWAYS

This protects you and your partner, whether your partner is a male or a female - or your wife.

behave responsibly

You are also responsible for the health of your wife and children

For further information call


WIVES AND OTHER FEMALE PARTNERS



ARE YOU MARRIED?

DO YOU HAVE SEX WITH WOMEN?

THEN READ ON



Protect your wife and family

USE A CONDOM FOR SEX - ALWAYS

This protects you and your partner, whether your partner is a male or a female - or your wife.

behave responsibly

You are also responsible for the health of your wife and children

For further information call


WIVES AND OTHER FEMALE PARTNERS



ARE YOU MARRIED?

DO YOU HAVE SEX WITH WOMEN?

THEN READ ON



Protect your wife and family

USE A CONDOM FOR SEX - ALWAYS

This protects you and your partner, whether your partner is a male or a female - or your wife.

behave responsibly

You are also responsible for the health of your wife and children

For further information call


WIVES AND OTHER FEMALE PARTNERS



ARE YOU MARRIED?

DO YOU HAVE SEX WITH WOMEN?

THEN READ ON



Protect your wife and family

USE A CONDOM FOR SEX - ALWAYS

This protects you and your partner, whether your partner is a male or a female - or your wife.

behave responsibly

You are also responsible for the health of your wife and children

For further information call

WIVES AND OTHER FEMALE PARTNERS



ARE YOU MARRIED?

DO YOU HAVE SEX WITH WOMEN?

THEN READ ON

HIV (the virus that leads to AIDS) and other sexually transmitted infections not only occurs between males having sex with males.

You can easily pass these infections on to your wife, or other female partner.

You wife, if she is pregnant, can also pass the infection onto her baby.

an infected baby



She can die from AIDS. Your child can die.

You can go to a clinic and have your sex disease treated.

But what about your wife? She also needs to be treated.

If you are treated for a sexually transmitted infection, and your wife is not, then you can be re-infected from your wife. And your wife will also get sick.

HIV (the virus that leads to AIDS) and other sexually transmitted infections not only occurs between males having sex with males.

You can easily pass these infections on to your wife, or other female partner.

You wife, if she is pregnant, can also pass the infection onto her baby.

an infected baby




She can die from AIDS. Your child can die.

You can go to a clinic and have your sex disease treated.

But what about your wife? She also needs to be treated.

If you are treated for a sexually transmitted infection, and your wife is not, then you can be re-infected from your wife. And your wife will also get sick.

the baby can become infected with HIV before birth or after breast-feeding



For women, many of the sexually transmitted infections do not show symptoms. But she can still re-infect you.

If you have a sexually transmitted infection, and you are married, then not only must you get treated, but your wife **must** also.

the baby can become infected with HIV before birth or after breast-feeding



For women, many of the sexually transmitted infections do not show symptoms. But she can still re-infect you.

If you have a sexually transmitted infection, and you are married, then not only must you get treated, but your wife **must** also.

HIV (the virus that leads to AIDS) and other sexually transmitted infections not only occurs between males having sex with males.

You can easily pass these infections on to your wife, or other female partner.

You wife, if she is pregnant, can also pass the infection onto her baby.

an infected baby



She can die from AIDS. Your child can die.

You can go to a clinic and have your sex disease treated.

But what about your wife? She also needs to be treated.

If you are treated for a sexually transmitted infection, and your wife is not, then you can be re-infected from your wife. And your wife will also get sick.

HIV (the virus that leads to AIDS) and other sexually transmitted infections not only occurs between males having sex with males.

You can easily pass these infections on to your wife, or other female partner.

You wife, if she is pregnant, can also pass the infection onto her baby.

an infected baby



She can die from AIDS. Your child can die.

You can go to a clinic and have your sex disease treated.

But what about your wife? She also needs to be treated.

If you are treated for a sexually transmitted infection, and your wife is not, then you can be re-infected from your wife. And your wife will also get sick.

the baby can become infected with HIV before birth or after breast-feeding



For women, many of the sexually transmitted infections do not show symptoms. But she can still re-infect you.

If you have a sexually transmitted infection, and you are married, then not only must you get treated, but your wife **must** also.

the baby can become infected with HIV before birth or after breast-feeding



For women, many of the sexually transmitted infections do not show symptoms. But she can still re-infect you.

If you have a sexually transmitted infection, and you are married, then not only must you get treated, but your wife **must** also.